

IN THE CLAIMS:

Claim 1 (Currently Amended): A liquid crystal display module, comprising:

a liquid crystal panel including an upper substrate, a lower substrate, and a liquid crystal layer interposed between the upper and lower substrates;

a first frame on which a ~~first~~ source printed circuit board and a ~~second~~ control printed circuit board are ~~disposed~~ laterally spaced apart from each other along a horizontal direction, ~~both the first and second printed circuit boards contain driving circuit elements~~; and

a second frame coupled with the first frame such that the liquid crystal panel is fixed between the first and second frames,

wherein the ~~first~~ source printed circuit board is mounted on the first frame and is electrically connected with the liquid crystal panel, the ~~second~~ control printed circuit board is ~~mounted on and~~ electrically connected to the ~~first~~ source printed circuit board to drive the liquid crystal panel, and the ~~second~~ control printed circuit board being removable from the ~~first~~ source printed circuit board and the first frame.

Claim 2 (Currently Amended): The liquid crystal display module according to claim 1, wherein the first frame has at least one first coupling segment and at least one second coupling segment to hold, respectively, a side and an opposite side of the ~~second~~ control printed circuit board.

Claim 3 (Currently Amended): The liquid crystal display module according to claim 2, wherein at least one notch is formed at the side of the ~~second~~ control printed circuit board.

Claim 4 (Currently Amended): The liquid crystal display module according to claim 3, wherein the ~~second~~ control printed circuit board further has at least one notch at the opposite side thereof.

Claim 5 (Original): The liquid crystal display module according to claim 2, wherein each of the first and second coupling segments has the shape of a hook.

Claim 6 (Original): The liquid crystal display module according to claim 2, wherein each of the first and second coupling segments has the shape of a capsized letter "L".

Claim 7 (Original): The liquid crystal display module according to claim 2, wherein a number of the first coupling segments and a number of the second coupling segments are the same.

Claim 8 (Currently Amended): The liquid crystal display module according to claim 7, wherein a first distance between two adjacent first coupling segments is smaller than a corresponding side length of the ~~second~~ control printed circuit board, and wherein a second distance between the two adjacent second coupling segments is the same as the first distance.

Claim 9 (Currently Amended): The liquid crystal display module according to claim 1, further comprising a flexible printed circuit to electrically connect the ~~first~~ source printed circuit board with the ~~second~~ control printed circuit board.

Claim 10 (Currently Amended): The liquid crystal display module according to claim 9, wherein the flexible printed circuit is removable from the ~~second~~ control printed circuit board.

Claim 11 (Currently Amended): The liquid crystal display module according to claim 1, wherein a tape carrier package electrically connects the ~~first~~ source printed circuit board with the liquid crystal panel.

Claim 12 (Original): The liquid crystal display module according to claim 1, further comprising a back light unit having a lamp to produce light.

Claim 13 (Original): The liquid crystal display module according to claim 12, further comprising a lower cover to support the first frame to prevent wrinkling and bending of the first frame, the lower cover being coupled to the lower frame at a side of the lower frame where the lamp of the back light unit is disposed.

Claim 14 (Original): The liquid crystal display module according to claim 12, further comprising a lower cover to support the first frame to prevent wrinkling and bending of the first frame, the lower cover being coupled to the lower frame at a side opposite to the lower frame opposite the lamp of the back light unit.

Claim 15 (Currently Amended): A liquid crystal display device, comprising:

an upper substrate;

a lower substrate;

a liquid crystal layer interposed between the upper substrate and the lower substrate;

a backlight disposed on one of the upper substrate and lower substrate;

at least one ~~first~~ source printed circuit board; and

at least one ~~second~~ control printed circuit board laterally spaced apart from the at least one source printed circuit board along a horizontal direction ~~mounted onto the at least one first printed circuit board,~~

wherein the control printed circuit board is removable from the source printed circuit board ~~driving circuitry elements are disposed on each of the first and second printed circuit boards.~~

Claim 16 (Canceled).

Claim 17 (Currently Amended): The liquid crystal display device according to claim ~~16~~ 15, wherein the source printed circuit board and the control printed circuit board are electrically interconnected via a printed circuit and a connector.

Claim 18 (Original): The liquid crystal display device according to claim 17, wherein the printed circuit is flexible.

Claim 19 (Currently Amended): The liquid crystal display device according to claim ~~16~~ 15, wherein the control printed circuit board includes a plurality of notches.

Claim 20 (Original): The liquid crystal display device according to claim 19, wherein the plurality of notches are disposed on opposing sides of the control printed circuit board.